IMPORTANT NOTE CONCERNING THE FOLLOWING PAGES

THE PAGES WHICH FOLLOW HAVE BEEN FILMED TWICE IN ORDER TO OBTAIN THE BEST REPRODUCTIVE QUALITY

USERS SHOULD CONSULT ALL THE PAGES REPRODUCED ON THE FICHE IN ORDER TO OBTAIN A COMPLETE READING OF THE TEXT.

REMARQUE IMPORTANTE CONCERNANT LES PAGES QUI SUIVENT

LES PAGES SUIVANTES ONT ÉTÉ REPRODUITES EN DOUBLE AFIN D'AMÉLIORER LA QUALITÉ DE REPRODUCTION

LES UTILISATEURS DOIVENT CONSULTER TOUTES LES PAGES REPRODUITES SUR LA FICHE AFIN D'OBTENIR LA LECTURE DU TEXTE INTÉGRAL

Micromedia
ProQuest

789 East Eisenhower Parkway
PO Box 1346
Ann Arbor, MI 48106-1346 USA
toll free: 1-800-521-0600
fax: (734) 997-4247
web: www.micromedia.ca

Saskatchewan
Ministry of
Agriculture

Crop Report

For the period June 23 to 29, 2009

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 11, July 3, 2009

Sixty-four per cent of the crops across the province are in good condition, according to Saskatchewan Agriculture's weekly Crop Report, although the majority are behind normal in development.

Crop conditions across the province have improved since last week's report. Winter wheat is reported as 56 per cent good and 37 per cent fair condition. Wheat is 51 per cent good and 36 per cent fair condition. Canola is reported as 43 per cent good and 42 per cent fair. Peas are 55 per cent good and 33 per cent fair.

On average, 58 per cent of fall-seeded crops are behind normal in development. Seventy-three per cent of spring cereals and 80 per cent of oilseeds are behind normal. Sixty-eight per cent of pulse crops are behind normal in development.

Provincial topsoil moisture conditions have declined overall since last week's Crop Report. Cropland topsoil moisture is reported as 61 per cent adequate, 33 per cent short and six per cent very short. Hay land and pasture moisture conditions are reported as 49 per cent adequate, 42 per cent short and nine per cent very short. Scattered showers were experienced in some areas of the province. Parts of the west-central district are still in severe need of moisture, and the lack of moisture has stunted some crops in the area. Other regions in the province also need rain.

Pastures are being reported as 27 per cent in good condition, 43 per cent in fair condition, and 27 per cent in poor and very poor condition.

The majority of crop damage continues to be caused by dry conditions. Grasshoppers and gophers are also causing damage. Cutworms are still evident in the north. Ninety-six per cent of the hay crop is still standing.

One year ago (July 6)
Twenty six per cent of the hay had been cut.
Estimated hay yield on dryland brome/alfalfa was 0.9 tonnes per acre. This was 10 per cent below the 10-year average.

For further information, contact: Grant McLean, PAg, Cropping Management Specialist, Regional Services Branch, Agriculture Knowledge Centre, 1-866-457-2377.
E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Please let us know if you no longer need to receive a printed copy

Agriculture and Agri-Food Canada Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN
Crop Insurance

Saskatchewan Crop Insurance Corporation Report – July 2, 2009

The deadline to meet and maintain minimum summerfallow coverage requirements is July 11.

The deadline to meet and maintain minimum summerfallow coverage requirements is July 11 for green manure crops in the Brown and Dark Brown soil zones and July 25 for green manure crops in the Black and Grey soil zones.

Under the Organic Reseeding Benefit, July 15 is the deadline to reseed.

Producers seeding greenfeed crops should note the deadline has been extended to July 15 for crops to be eligible for insurance.

South-eastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The week brought good growing conditions, mild temperatures, a few isolated showers and wind. Severely strong winds on June 25 toppled bins, broke trees and ripped out shingles. The region received an average of 2 mm of rain. Crop District (CD) 1A averaged 6 mm; CD 2A, 3 mm; CD 2B, 2 mm; and CD 3ASE, 1 mm. The Gainsborough and Frobisher areas received 11 and 9 mm, respectively.

Topsoil moisture conditions have declined from last week. Conditions are being reported as 66 per cent adequate and 29 per cent short on cropland. Hay and pasture land topsoil moisture conditions are 56 per cent adequate and 42 per cent short. Areas in CD 1B and 2A are reporting a need for moisture.

Most of the crop damage was caused by dry conditions, flea beetles, grasshoppers, gophers and wind. Farmers are trying to control grasshoppers as they enter the edges of the fields. Root rot was reported. Hail occurred in the Montmartre area.

Ninety-six per cent of the hay crop is still standing. Twenty-eight per cent is rated in good condition and 21 per cent is in fair condition (43 per cent did not report).

Pasture conditions are rated as 35 per cent good, 47 per cent fair and nine per cent poor. Availability of livestock water is 92 per cent adequate.

SE SK Crop Development – June 30, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	52	48
Spring Cereals	0	28	71
Oilseeds	0	27	72
Pulse Crops	0	28	72

Weed control is generally wrapping up. Some canola crops are flowering and barley is headed-out. In general, the hay crop will not be as good as last year.

SE SK Crop Conditions - June 30, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	5	16	6	9	6	5	0
% good	70	62	56	54	59	55	30
% fair	23	20	34	33	32	35	67
% poor	1	0	2	3	2	4	2
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	6	6	9	50	7	3	3	0
% good	50	46	46	45	61	49	55	41
% fair	35	38	37	5	28	39	36	58
% poor	4	9	6	0	3	8	5	0
% very poor	1	0	0	0	0	0	0	0

South-western Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The SW region was warm and windy during the past week. The same strong wind that blew across the southeast on June 25 did similar damage to yards in the southwest. Very little rain was recorded in the region last week. The area around Lucky Lake and Stewart Valley received 12 and seven mm, respectively. Rain is needed in the region.

Topsoil moisture conditions have declined from last week. Cropland topsoil moisture was reported as 48 per cent adequate, 46 per cent short and five per cent very short. Topsoil moisture conditions on hay and pasture land are rated as 30 per cent adequate, 56 per cent short and 13 per cent very short. The rains from two weeks ago have helped the hay and pasture land somewhat; however, the stands are still very short and slow at growing.

Pasture conditions are rated as 21 per cent good, 49 per cent fair, 24 per cent poor and five per cent very poor. Livestock water supplies are reported as 80 per cent adequate and 20 per cent inadequate.

SW SK Crop Development – June 30, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	55	44
Spring Cereals	0	37	62
Oilseeds	0	38	62
Pulse Crops	3	36	59

Gophers, grasshoppers and dry conditions caused the majority of the crop damage this past week. Cabbage seedpod weevils are beginning to appear and cause crop damage as well. Farmers are beginning to control the weevil. Weed control is still occurring in some areas. The varying plant stages in a field are making weed control difficult. Approximately eight per cent of the hay crop is cut. Most crops are being reported in fair condition.

The warm week allowed crops to catch up on development. Canola and mustard crops are flowering.

SW SK Crop Conditions - June 30, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	2	2	1	2	4	
% good	49	48	52	48	71	60	55	
% fair	47	45	41	44	25	34	35	
% poor	3	6	4	5	2	3	5	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	2	0	2	1	3	0
% good	49	36	53	60	58	63	38	72
% fair	47	53	37	30	35	31	50	25
% poor	6	10	6	10	3	3	7	1
% very poor	0	0	0	0	0	0	0	0

East-Central Saskatchewan (Crop Districts 5 and 6A)

The days were generally warm and windy, with a few rain showers in some areas. Severe thunderstorms were reported in some areas on June 25 (Leroy area). The region received an average of two mm of rain. The areas around Humboldt and Imperial received 11 and seven mm of rain, respectively. A quick thunderstorm in the Stalwart and Liberty areas dropped close to an inch of rain on June 30.

Cropland topsoil moisture conditions are reported as 69 per cent adequate and 27 per cent short. Hay and pasture topsoil moisture conditions are 54 per cent adequate, 35 per cent short and 10 per cent very short. Pasture conditions are being reported as 34 per cent good, 35 per cent fair and 26 per cent poor. Livestock water supplies are 97 per cent adequate. Ninety-seven per cent of the hay crop remains standing. Hay condition varies, depending on the area.

EC SK Crop Development – June 30, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	17	82
Spring Cereals	0	17	82
Oilseeds	0	13	87
Pulse Crops	0	19	81

Crop damage was mostly due to dry conditions and insects (flea beetles, grasshoppers, cut worms and wire worms). Areas in the region are very dry, with some areas receiving an average of 50 mm since April 1. The rain from two weeks ago has improved crops in those districts that received the moisture. There are reports of some crops being two to three weeks behind normal in development. Grasshoppers are hatching and starting to cause some damage in areas.

Peas and lentils are beginning to flower and most winter wheat is headed-out.

Farmers were busy with in crop weed control and getting ready for haying

East-Central Crop Conditions - June 30, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	1	0	3	3	0	
% good	59	53	58	63	57	61	80	
% fair	33	44	36	29	35	30	20	
% poor	6	1	4	7	4	5	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	1	0	0	0	2	1	0	16
% good	55	48	67	100	62	70	48	73
% fair	35	42	27	0	30	22	46	10
% poor	8	7	4	0	4	5	5	0
% very poor	0	0	0	0	0	0	0	0

West-Central Saskatchewan (Crop Districts 6B and 7)

The week was generally warm. Very little rain fell in the area this past week. The average for the region was two mm. The Dinsmore area received 15 mm; Outlook area, nine mm; and Denzil area, 11mm. A tornado touched down in the Sonningdale area.

Average topsoil moisture conditions have declined since last week. The area is so severely dry that good rains are needed to improve crop, hay and pasture lands. Cropland moisture conditions are rated as 38 per cent adequate, 44 per cent short and 18 per cent very short. Hay and pasture land is sitting at 29 per cent adequate, 47 per cent short and 24 per cent very short. Pasture conditions are reported as five per cent good, 27 per cent fair, 45 per cent poor and 22 per cent very poor. Availability of livestock water is being reported as 71 per cent adequate and 29 per cent inadequate. Ninety-two per cent of the hay crop is still standing; 44 per cent is reported to be in poor condition. A very poor hay crop is being reported in the majority of the region.

WC SK Crop Development – June 30, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	4	38	58
Spring Cereals	0	13	87
Oilseeds	0	10	90
Pulse Crops	0	24	76

Crop damage was mainly due to severely dry and windy conditions. Crops are still germinating due to the rain received in some areas a couple of weeks ago. Some crops have not emerged. The last rainfall

improved crop conditions, but more is needed to advance growth. Germination is uneven from lack of moisture. Moisture is still needed to advance crops, hay and pasture land.

West Central SK Crop Conditions - June 30, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	0	0	0	0	0	
% good	4	6	27	12	26	23	14	
% fair	70	46	39	28	44	40	35	
% poor	13	25	23	35	22	26	22	
% very poor	11	22	10	23	7	9	28	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	0	0	0	0	0
% good	26	18	11	5	34	32	11	0
% fair	42	41	40	49	40	43	23	20
% poor	20	29	30	24	19	15	31	60
% very poor	11	11	18	20	6	9	34	20

North-eastern Saskatchewan (Crop Districts 8 and 9AE)

Weather conditions for the past week were warm and windy, with rain showers in some areas. The region received an average of five mm of moisture. Arborfield area received 11 mm; Alvena area, 13 mm; and Hoey area, 12 mm. There are areas in the region that still need rain, especially north and west of Tisdale. Hail was reported in the Arborfield and Nipawin areas.

Cropland topsoil moisture conditions are rated as 69 per cent adequate and 27 per cent short. Hay and pasture land topsoil moisture conditions are 50 per cent adequate, 44 per cent short and six per cent very short. Pasture conditions are reported as 36 per cent good, 45 per cent fair and 16 per cent poor. Livestock water supplies are 97 per cent adequate.

The majority of crop damage was caused by cutworms, dry conditions and hail. Cutworms severely infested some crops and farmers were trying to control the damage. Haying has yet to begin in the region. Of those who reported, the majority rate the hay crop in fair condition (68 per cent did not report hay condition).

NE SK Crop Development – June 30, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	49	51
Spring Cereals	0	35	65
Oilseeds	0	23	77
Pulse Crops	0	44	56

Spring cereals are tillering and the flax is in still in the vegetative stage. Canola is everywhere from just emerging to bolting. Peas are almost blooming.

Strong winds are making weed control difficult. Farmers are busy scouting fields, controlling weeds and crop pests and getting ready for haying.

North-east SK Crop Conditions - June 30, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	30	13	4	5	0
% good	78	69	63	54	59	56	100
% fair	19	16	28	26	33	35	0
% poor	2	9	3	6	3	3	0
% very poor	0	5	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	23	0	6	0	1	0
% good	61	45	58	0	70	45	49	0
% fair	32	42	16	0	21	42	43	0
% poor	4	10	2	0	2	12	5	0
% very poor	0	2	0	0	0	0	0	0

North-western Saskatchewan (Crop Districts 9AW and 9B)

Rain showers were welcome! Warm temperatures and moisture were experienced in most of the region this past week. Rainfall was spotty throughout the region, but most crop reporters recorded some moisture. The average for the region was 8 mm. CD 9AW received an average of 7 mm and CD 9B received 14 mm on average. The area around Debden received 17 mm; Glaslyn, 19 mm; Frenchman Butte, 25 mm; and Lloydminster, 42 mm. Very strong winds in the North Battleford area knocked over bins.

Cropland topsoil moisture conditions have improved since last week's report, and are reported as 86 per cent adequate and 13 per cent short. The hay and pasture topsoil moisture conditions declined from last week, and are reported as 77 per cent adequate and 22 per cent short. Pasture conditions are generally rated as good to fair. Thirty-six per cent is rated as in good condition, 47 per cent in fair condition and 15 per cent in poor condition. Livestock water supplies are reported as 97 per cent adequate. With the recent rains over the past couple of weeks, the hay crop and pastures have improved. The hay crop will not get much higher.

NW SK Crop Development – June 30, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	29	71
Spring Cereals	0	39	60
Oilseeds	0	30	69
Pulse Crops	2	30	67

Flooding and hail caused the majority of crop damage again this week. Hail was reported in the North Battleford and Lloydminster areas. The rain came hard and fast in some areas,

resulting in crop damage due to flooding. Haying has yet to begin the region.

Development stages of crops are variable. Farmers are busy scouting fields and controlling weeds.

North-west SK Crop Conditions - June 30, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	1	0	0	1	0	
% good	61	70	59	0	66	64	0	
% fair	38	24	38	0	32	33	100	
% poor	0	5	0	0	0	0	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	2	0	0	11	0	0	0
% good	86	45	0	0	53	0	75	0
% fair	13	46	100	0	32	0	25	0
% poor	0	5	0	0	2	100	0	0
% very poor	0	0	0	0	0	0	0	0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 25 mm = 1 inch for the week ending June 30, 2009

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	11	101
	2	Mt.Pleasant	7	77
	3	Enniskillen	9	110
	33 A	Moose Cr.	N/A	79
	33 B	Moose Cr.	5	100
	34	Browning	N/A	74
	61	Antler	N/A	46
	64	Brock	6	74
	65	Tecumseh	1	87
1B	91	Maryfield	N/A	97
	92	Walpole	N/A	105
	93	Wawken	NIL	91
	94	Hazelwood	NIL	107
	95	Golden West	2	80
	121	Moosomin	NIL	93
	122	Martin	NIL	93
	123	Silverwood	NIL	81
	124	Kingsley	NIL	82
	125	Chester	2	80
	151 B	Rocanville	3	81
	153	Willowdale	NIL	79
	154	Elcapo	NIL	69
	155	Wolseley	NIL	75
2A	36	Cymri	5	102
	66	Griffin	NIL	76
	67	Weyburn	3	108
	68	Brokenshell	7	94
	69	Norton	N/A	161
	96	Fillmore	3	131
	97	Wellington	NIL	122
	99	Caledonia	NIL	153
2B	126	Montmartre	9	148
	127	Francis	NIL	145
	129	Bratt's Lake	NIL	96
	131	Baildon	NIL	119
	156 A	Indian Head	2	110
	156 B	Indian Head	TR	125
	157	South Qu'app.	N/A	12
	160	Pense	N/A	83
	161	Moose Jaw	5	61
	191 A	Marquis	N/A	113
3ASE	9	Surprise Val.	2	102
	38 A	Laurier	N/A	109
	38 B	Laurier	NIL	128
	39 A	The Gap	N/A	98
	39 B	The Gap	2	140
3ASW	10	Happy Val.	4	79
	12	Poplar Val.	NIL	93
	40	Bengough	N/A	87
	42	Willow Bunch	NIL	114
	43 A	Old Post	N/A	77
	44	Waverley	1	105
	70	Key West	N/A	75
	71 A	Excel	NIL	110
	71 B	Excel	2	107
	71 C	Excel	N/A	105
	73 A	Stonehenge	N/A	143
	73 B	Stonehenge	NIL	149
	74	Wood River	0	71
3AN	101	Terrell	1	116
	102	Lake Johnston	1	81
	103	Sutton	2	120
	134	Shamrock	NIL	130
	164	Chaplin	2	112
	193	Eyebrow	NIL	93
	194	Enfield	N/A	60
3BS	17 A	Val Marie	NIL	178
	17 B	Val Marie	N/A	N/A
	45	Maple Creek	NIL	104
	75 A	Pinto Cr.	1	124
	75 B	Pinto Cr.	NIL	78
	76 A	Auvergne	NIL	82
	76 B	Auvergne	N/A	92
	77	Wise Cr.	NIL	143
	78 A	Grassy Cr.	NIL	149
	78 B	Grassy Cr.	NIL	108
	78 C	Grassy Cr.	N/A	111
	105	Glenbain	NIL	101
	106	Whiska Cr.	NIL	73
	107	Lac Pelletier	N/A	6
	108	Bone Cr.	TR	102

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	138	Webb	4	70
	166	Excelsior	NIL	76
	167	Sask. Landing	7	81
	168	Riverside	NIL	80
	225	Canaan	N/A	58
	226	Victory	12	71
	228 A	Lacadena	NIL	114
	228 B	Lacadena	6	112
	255	Coteau	N/A	19
4A	49 A	White Val.	N/A	114
	49 B	White Val.	N/A	89
	51	Reno	NIL	87
	79	Arlington	NIL	79
	109	Carmichael	2	113
	110	Piapot	NIL	146
	111 A	Maple Cr.	N/A	114
4B	139	Gull Lk.	TR	81
	141	Big Stick	NIL	97
	142	Enterprise	N/A	97
	169	Pittville	N/A	101
	231	Happyland	TR	45
	232	Deer Forks	NIL	90
5A	183	Fertile Belt	NIL	108
	184 A	Grayson	NIL	72
	184 B	Grayson	N/A	68
	185	Mcleod	NIL	115
	186	Abernethy	N/A	93
	211	Churchbridge	2	85
	213	Saltcoats	4	77
	216 A	Tullymet	4	132
	216 B	Tullymet	NIL	98
	241	Calder	NIL	50
	243	Wallace	N/A	69
	245 A	Garry	TR	95
	245 B	Garry	TR	112
	246	Ituna Bon Acc.	6	159
	247	Kellross	NIL	155
	248	Touchwood	2	113
5B	271	Cote	1	96
	273	Sliding Hills	N/A	25
	275	Insinger	N/A	113
	276	Foam Lk.	N/A	N/A
	277	Ernerald	1	116
	304	Buchanan	N/A	N/A
	305	Ivermay	6	87
	307	Elfros	N/A	109
	308	Big Quill	5	110
	333	Clayton	N/A	105
	335	Hazel Dell	3	108
	336	Sasman	NIL	73
	337	Lakeview	NIL	101
	338	Lakeside	6	115
	366	Kelvington	3	137
	367 B	Ponass Lk.	N/A	N/A
6A	190 A	Dufferin	1	79
	190 B	Dufferin	1	103
	190 C	Dufferin	NIL	114
	190 D	Dufferin	N/A	42
	219 A	Longlaketon	NIL	119
	219 B	Longlaketon	NIL	152
	220	McKillop	NIL	125
	221	Sarnia	TR	154
	222	Craik	NIL	160
	251	Big Arm	7	108
	252	Arm River	3	132
	279 A	Mount Hope	NIL	101
	279 B	Mt Hope	1	106
	280	Wreford	NIL	77
	282	Mccraney	0	87
	309	Prairie Rose	3	142
	312	Morris	1	70
	313	Lost River	8	48
	339	Leroy	5	109
	340 A	Wolverine	11	101
	341	Viscount	NIL	37
	343	Blucher	4	63
6B	283	Rosedale	7	130
	284	Rudy	9	91
	285	Fertile Val.	3	99
	286	Milden	15	61
	314	Dundurn	NIL	90
	344	Corman Pk.	NIL	41

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
	346	Perdue	N/A	48
	376 A	Eagle Cr.	NIL	64
	376 B	Eagle Cr.	NIL	108
	403	Rosthern	N/A	N/A
7A	259	Snipe Lk.	NIL	80
	287	St.Andrews	NIL	56
	288	Pleasant Val.	TR	76
	292	Milton	N/A	47
	317 A	Marriott	NIL	45
	317 B	Marriott	NIL	46
	318 A	Mt. View	1	32
	318 B	Mt. View	N/A	49
	320	Oakdale	3	45
	321	Prairiedale	NIL	40
7B	347 A	Biggar	5	103
	347 B	Biggar	N/A	61
	350 A	Manposa	TR	9
	350 B	Manposa	2	32
	351	Progress	NIL	45
	352	Heart's Hill	N/A	36
	377	Glenside	NIL	93
	378 A	Rosemount	3	66
	378 B	Rosemount	2	101
	379	Reford	TR	39
	380	Tramping Lk.	NIL	48
	382	Eye Hill	11	80
	409	Buffalo	N/A	N/A
	410	Round Val.	1	59
	411	Senlac	N/A	23
8A	395	Porcupine	NIL	131
	397	Barrier Val.	4	132
	428	Star City	1	93
	456	Arborfield	11	132
	457	Connaught	2	43
	458	Willow Cr.	NIL	49
	486	Moose Range	6	66
	487	Nipawin	6	65
8B	369	St. Peter	2	63
	370	Humboldt	3	81
	371	Bayne	4	45
	372	Grant	7	52
	373	Aberdeen	N/a	N/A
	400	Three Lks.	N/A	N/A
	402	Fish Cr.	13	66
	429 A	Flett's Spr.	NIL	62
	429 B	Flett's Spr.	6	78
	431	St. Louis	12	86
	459	Kinistino	4	81
9AE	488	Torch River	4	91
	520	Paddockwood	N/A	21
9AW	406	Mayfield	NIL	76
	435	Redberry	N/A	123
	436	Douglas	1	62
	463	Duck Lake	8	90
	464	Leask	14	132
	467	Round Hill	9	47
	493	Shellbrook	5	122
	494	Canwood	17	132
	496	Spiritwood	6	93
	497	Medstead	6	123
	555	Big River	N/A	15
9B	438	Battle River	4	90
	440	Hillsdale	N/A	37
	442	Manitou Lake	2	74
	498 A	Parkdale	13	113
	498 B	Parkdale	19	102
	499	Mervin	17	110
	501 A	Frenchman Butte	19	97
	501 B	Frenchman Butte	7	103
	501 C	Frenchman Butte	25	104
	502	Britannia	42	141
	561	Loon Lake	8	123
	588 A	Meadow Lake	4	134
	588 B	Meadow Lake	20	114
	588 C	Meadow Lake	3	138
	588 D	Meadow Lake	N/A	122
	622	Beaver River	N/A	67

* incomplete

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending June 29, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Weekly Rainfall

for the week ending June 29, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Cumulative Rainfall

From: April 1, 2009
To: June 29, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Cropland Topsoil Moisture Conditions

June 30, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Cumulative Rainfall

From: April 1, 2009

To: June 29, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Cropland Topsoil Moisture Conditions

June 30, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Hay and Pasture Topsoil Moisture Conditions

June 30, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Pasture Conditions

June 30, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Pasture status - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Hay and Pasture Topsoil Moisture Conditions

June 30, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Pasture Conditions

June 30, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

N W E S

Data Source
Pasture status - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 2, 2009

Availability of Livestock Water

June 30, 2009



Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

Data Source:
Livestock water - Saskatchewan Ministry of Agriculture
Crop Report Database

Prepared by: Geomatics Services Date: July 3, 2009

Availability of Livestock Water

June 30, 2009



Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

Data Source
Livestock water - Saskatchewan Ministry of Agriculture
Crop Report Database

Prepared by: Geomatics Services Date: July 3, 2009